

# **SAFETY** DATA SHEET **BELOW GROUND** CONDUIT SYSTEM AND FITTINGS

75 Wales, Saint-André-d'Argenteuil, Québec, CANADA JOV 1X0 | +1 450 537-3311 | Fax: +1 450 537-3415 60 Greenhorn Drive, Pueblo, Colorado, 81004, USA | +1 719 565-3311 | Fax: +1 719 564-3415 **Toll free: +1 888 849-9909 | frecomposites.com** 


1. IDENTIFICATION				
Product identifier	Below Ground Conduit System and Fittings.			
Product code	Series 30-31-32, 40-41 and 42			
Other means of identification	Below Ground Conduit and Fittings.			
Recommended use of the chemical and restrictions on use	Underground Conduit System Product for electrical and/or telecommunication installations. Not recommended for any other use not detailed on product data sheet or label.			
Manufacturer	FRE COMPOSITES INC.FRE COMPOSITES USA INC.75 Wales Street60 Greenhorn DriveSaint-André-d'ArgenteuilPueblo, COQuebec, Canada JOV 1X0USA 81004Tel: 450-537-3311Tel. : 719 565-3311Tel toll-free: 1-888-849-9909www.frecomposites.com			
Emergency phone number	1-888-849-9909			

2. HAZARD IDENTIFICATION				
Summary This product is not regulated according to the Canadian Hazardous Products Act (HPA) and Hazardous Products Regulations (HPR) S0R/2015-17 (or WHMIS 2015) and to OSHA 29CFR Part 1910.1200 (HazCom 2012).				
WHMIS 2015/GHS/OSHA HCS 2012				
Not Regulated under WHMIS 2015 Not Regulated under OSHA HCS 2012/GHS P103: Read label before use.				
L				

3. COMPOSITION/INFORMATION ON INGREDIENTS				
Common name CAS		Weight % content		
Glass, oxide, chemicals	65997-17-3	60 - 80 %		
Polymerized Epoxy Resin	Polymer Epoxy	15 - 40 %		
Carbon black 1333-86-4 0.1 - 1 %				
Note: Polymerized Epoxy Resin does not have a known CAS number. This ingredient has no physical danger and no health danger. The				

ote: Polymerized Epoxy Resin does not have a known CAS number. This ingredient has no physical danger and no health danger. The manufacturer withholds the actual concentration range of the ingredients as a trade secret.





4. FIRST-AID MEASURES	
Inhalation	No first aid is necessary.
Skin contact	No first aid is necessary.
Eye contact	Flush with water for at least 15 minutes. Remove contact lenses if easy to do. Hold eyelids apart to rinse properly. If a problem develops or persists, seek medical attention.
Ingestion	Not relevant to this product.
Other	No additional information.
Symptoms	No critical hazards to health.
Notes to the physician	No additional information.

5. FIRE-FIGHTING MEASURES			
Suitable extinguishing media	Use appropriate extinguisher for surrounding fire.		
Specific hazards arising from the chemical	No hazard listed.		
Special protective equipment	Firefighters must wear self contained breathing apparatus with full face mask.		
Special protective actions for firefighters	None reported.		

6. ACCIDENTAL RELEASE MEASURES				
Personal precautions, protective equipment and emergency procedures	Make sure to wear personal protective equipment mentioned in this Safety Data Sheet.			
Environmental precautions	No hazard listed.			
Methods and materials for containment and cleaning up	Pick up mechanically and reuse as long as it is not contaminated.			

7. HANDLING AND STORAGE				
Precautions for safe handling	Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved.			
Conditions for safe storage, including any incompatibilities	Store away from direct sunlight.			
Storage temperature	15 to 25°C (59 to 77°F)			

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Immediately Dangerous to Life or Carbon black: 1750 mg/m3.

able Fraction         5 mg/m³         1 f/cc         ACGIH           Dust         10 mg/m³         RSST           Dust         15 mg/m³         OSHA           3.5 mg/m³         OSHA
Dust 15 mg/m <sup>3</sup> OSHA
3.5 mg/m <sup>3</sup> OSHA
3 mg/m <sup>3</sup> ACGIH , BC, 0
3.5 mg/m <sup>3</sup> RSST
2





Individual protection mea	isures			
Eye	Wear safety glasses with side s	Wear safety glasses with side shields.		
Hands	Wear leather gloves, nitrile or n	Wear leather gloves, nitrile or neoprene gloves. Discard gloves with tears, pinholes, or signs of wear.		
Skin		for the body should be selected based on the task being performed and the rk clothing covering arms and legs as required by employer code.		
Respiratory	workplace require it. Moreover,	quired for normal use. Wear a respirator where the conditions in the respiratory protection equipment (RPE) must be selected, fitted, maintained ith regulations and standard 29 CFR 1910.134 (OSHA), ANSI Z88.2 or CSA Z y NIOSH/MSHA.		
Feet	None			
		i.e.l.		
	Safety glasses	Nitrile gloves		

9. PHYSICAL AND CHEMICAL PROPERTIES					
Physical state	Solid	Flammability	Non-flammable		
Colour	Black	Flammability limits	N/Ap.		
Odour	Odourless	Flash point	N/Ap.		
Odour threshold	N/Av.	Auto-ignition temperature	N/Av.		
рН	N/Ap.	Sensibility to electrostatic charges	No		
Melting point	N/Av.	Sensibility to sparks and/or friction	No		
Freezing point	N/Av.	Vapour density	N/Av. (Air = 1)		
Boiling point	N/Av.	Relative density	1.7 to 1.9 kg/L (Water = 1)		
Solubility	Soluble in water.	Partition coefficient n-octanol/water	N/Av.		
Evaporation rate	N/Av.	Decomposition temperature	N/Av.		
Vapour pressure	N/Av.	Viscosity	N/Av.		
Percent Volatile	N/Av.	Molecular mass	N/Ap.		
N/Av.: Not Available N/Ap.: Not Applicable Und.: Undetermined N/E: Not Established					

10. STABILITY AND REACTIVITY	
Reactivity	No reaction expected.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions (including polymerizations)	Hazardous polymerization will not occur.
Conditions to avoid	None reported.
Incompatible materials	Not applicable.
Hazardous decomposition products	No decomposition product.





11. TOXICOLOGICA	L INFORMATION						
Numerical measures of toxicity	Mixture Glass, oxide, chemicals Carbon black	Ingest Skin Ingest Skin Ingest Skin	ion	>2000 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg >15400 mg/kg >3000 mg/kg	Rat Rat Rat Rabbit Rat Rabbit	LD50 LD50 LD50 LD50 LD50 LD50 LD50	
Likely routes of exposure	Skin, eyes, inhalation, ingestion.						
Delayed, immediate and	Eye contact		Not irritating (OECD TG 405). The friction can cause mechanical eyes irritation.				
chronic effects	Skin contact		Not irritating (OECD TG 404). The mechanical friction can cause skin irritation.				
	Inhalation		No si	No significant effects or critical hazards to health.			
	Ingestion		Not a likely route of exposure.				
	Respiratory or skin sensitization		Ingredients present at levels greater than or equal to 0.1% of this product are not skin or respiratory sensitizers.				
	IARC/NTP Classification		Common nameIARCNTPGlass, oxide, chemicals-RCarbon black2B-IARC : 1- Carcinogenic; 2A- Probably carcinogenic; 2B- Possibly carcinogenic.NTP : K- Known to be carcinogens; R- Reasonably anticipated to be carcinogens.				
	Carcinogenicity		The product contains ingredients which are carcinogenic by inhalation of dust. However, the physical state of this product is not expected to produce dust. So there is no risk of cancer during normal use. This product does not present such risk of chronic health because the latter is bound to other materials (thermosetted resin).				
	Mutagenicity		Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects.				
	Reproductive toxicity		Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects.				
	Specific target organ toxicity - single exposure		No target organ is listed.				
	Specific target organ toxicity - repeated exposure		No target organ is listed.				
Interactive effects	No information available for this product.						
Other information	No additional information.						

12. ECOLOGICAL INFORMATION				
Ecological toxicity	Fish various $LC50 > 100 \text{ mg/l}$ ; 96h			
Persistence	Contains an or many ingredients that may be persistent in the environment.			
Degradability	No information available for this product.			
Bioaccumulative potential	No bioaccumulation.			
Mobility in soil	The product is a mixture whose ingredients have moderate to low mobility in the soil.			
Other adverse effects	This chemical does not deplete the ozone layer.			





### **13. DISPOSAL CONSIDERATIONS**



#### **IMPORTANT!**

Prevent waste generation. Use in full. Residue can be reprocessed (recycled) where there is a recovery program. Observe all federal, state/provincial and municipal regulations. If necessary consult the Department of Environment or the relevant authorities.

14. TRANSPORT INFORMATIO	N
UN Number	UN N/A
UN Proper Shipping Name	Not regulated by TDG (Canada) and 49 CFR DOT (USA).
Environmental hazards	This material does not contain marine pollutant.
Special precautions for user	No information available.
TDG - Transportation of Dangerous Goo	ds (Canada)
Transport hazard class(es)	Not regulated
Packing group	Not regulated
Emergency response guidebook 2016	
IMO/IMDG - International Maritime Tran	sport
Classification	Not regulated
IATA - International Air Transport Assoc	ation
Classification	Not regulated
These transportation classifications are provided as	a customer service. As the shipper VOLI remain responsible for complying with all applicable laws and regulations, including

These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. In addition, if a domestic exemption exists, it is the responsibility of the shipper to define the application of it.

## 15. REGULATORY INFORMATION

CANADA

		· · · · · · · · · · · · · · · · · · ·			
Common name	CAS	CEPA	DSL	NDSL	NPRI
Glass, oxide, chemicals	65997-17-3		~		
Polymerized Epoxy Resin	Polymer Epoxy		~		
Carbon black	1333-86-4		~		

- CEPA: List of Toxic Substances Managed Under Canadian Environmental Protection Act


- DSL: Domestic Substances List Inventory


- NDSL: Non-Domestic Substances List Inventory

- NPRI: National Pollutant Release Inventory Substances

#### UNITED STATES OF AMERICA

UNITED STATES OF AMERICA										
Common name	CAS	TSCA	CER CLA	EPCRA 313	EPCRA 302/304	CAA 112(b) HON	CAA 112(b) HAP	CAA 112(r)	<b>CWA</b> 311	CWA Prio.
Glass, oxide, chemicals	65997-17-3	~								
Polymerized Epoxy Resin	Polymer Epoxy	~								
Carbon black	1333-86-4	~								





- TSCA: Toxic Substance Control Act
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act list of hazardous substances
- EPCRA 313: Emergency Planning and Community Right-to-Know Act, Section 313 Toxic Chemicals
- EPCRA 302/304: Emergency Planning and Community Right-to-Know Act, Section 302/304 Extremely Hazardous Substances
- CAA 112(b) HON: Clean Air Act Hazardous Organic National Emission Standard for Hazardous Air Pollutant
- CAA 112(b) HAP: Clean Air Act Hazardous Air Pollutants lists pollutants
- CAA 112(r): Clean Air Act Regulated Chemicals for Accidental Release Prevention
- CWA 311: Clean Water Act List of Hazardous Substances
- CWA Priority: Clean Water Act Priority Pollutant list

#### **CALIFORNIA PROPOSITION 65**

Common name	CAS	Cancer	Reproductive and Developmental Toxicity			
Carbon black	1333-86-4	~				
Other regulations	causing agent (through inhapproposition 65). This produc	State of California EPA (OEHHA): Carbon black (airborne, unbound particles of respirable size) is listed as a ausing agent (through inhalation), under California Safe Drinking Water and Toxic Enforcement Act (Califor proposition 65). This product does not present such risk as the composition percentage is minimal and is completely bound to other material (thermosetted resin).				
		HMIS	NFPA			
	Health					
	Flamal	bility				
	Reacti	vity				
	O Protec	tive Equipment				

Date (YYYY-MM-DD)	FRE CO	FRE COMPOSITES INC. 2019-05-16					
Version							
		01					
Other information	REFERE						
		ap, Information on Hazardous Chemicals and Occupa					
		e du répertoire toxicologique de la Commission des r ST), http://www.reptox.csst.qc.ca	normes, de	l'équité, de la santé et de la sécurité du travail			
	ACGIH:	American Conference of Governmental Industrial Hygienists	RSST:	Règlement sur la santé et la sécurité du travail (Québec)			
	AIHA:	American Industrial Hygiene Association	GHS:	Globally Harmonized System			
	HMIS:	Hazardous Materials Identification System	IARC:	International Agency for Research on Cancer			
	NFPA:	National Fire Protection Association	IDLH:	Immediately Dangerous to Life or Health			
	OSHA:	Occupational Safety and Health Administration	STEL:	Short Term Exposure Limit (15 min)			
		(USA)	TWA:	Time Weighted Averages			
	NIOSH:	National Institute for Occupational Safety and Health	WHMIS:	Workplace Hazardous Materials Information System			
	NTP:	National Toxicology Program					
	To the best of our knowledge, the information contained herein is accurate. However, neither Pri <sub>c</sub> ½ventis System nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.						

This document is the property of FRE Composites Inc. ("FRE Composites"). It shall not be used, reproduced, copied or transmitted to other persons without written authorization.

F1RST IN THE FIELD

