

SAFETY DATA SHEET

BreathSaver® XW

2-HOUR RATED CABLE SYSTEM (UL 2196 | FHIT 25C)

75 Wales, Saint-André-d'Argenteuil, Québec, CANADA JOV 1X0 | +1 450 537-3311 | Fax: +1 450 537-3415 60 Greenhorn Drive, Pueblo, Colorado, 81004, USA | +1 719 565-3311 | Fax: +1 719 564-3415 **Toll free: +1 888 849-9909 | frecomposites.com**

1. IDENTIFICATION				
Product identifier	BreathSaver _® XW			
Product code	N/A			
Other means of identification	None.			
Recommended use of the chemical and restrictions on use	Conduit System Product for Electrical and / or Telecommunication Aboveground, concealed or exposed installations. In the case of XW wall thickness products, it is suitable for physical damage locations per (NEC _®) in the United States. Not recommended for any other use not detailed on product data sheet or label.			
Manufacturer	FRE COMPOSITES INC. 75 Wales Street Saint-André-d'Argenteuil Quebec, Canada JOV 1X0 Tel: 450-537-3311 Tel toll-free: 1-888-849-9909 FRE COMPOSITES USA INC. 60 Greenhorn Drive Pueblo, C0 USA 81004 Tel.: 719 565-3311 Tel toll-frees: 1-888-849-9909			
Emergency phone number	1-888-849-9909			

2. HAZARD IDENTIFICATION			
Summary	This product is not regulated according to the Canadian Hazardous Products Act (HPA) and Hazardous Products Regulations (HPR) SOR/2015-17 (or WHMIS 2015) and to OSHA 29CFR Part 1910.1200 (HazCom 2012).		
WHMIS 2015/GHS/0SHA HCS 2012			
Not Regulated un	der WHMIS 2015 Not Regulated under OSHA HCS 2012/GHS		

3. COMPOSITION/INFORMATION ON INGREDIENTS					
Common name	CAS	Weight % content			
Glass, oxide, chemicals	65997-17-3	60 - 80 %			
Polymerized resin	Polymer Resin	20 - 40 %			
Carbon black 1333-86-4 0.1 - 1 %					
Note: Polymerized resin does not have a known CAS number. This ingredient has no physical danger and no health danger.					

This document is the property of FRE Composites Inc. ("FRE Composites"). It shall not be used, reproduced, copied or transmitted to other persons without written authorization.





4. FIRST-AID MEASURES	
Inhalation	No first aid is necessary.
Skin contact	No first aid is necessary.
Eye contact	Flush with water for at least 15 minutes. Remove contact lenses if easy to do. Hold eyelids apart to rinse properly. If a problem develops or persists, seek medical attention.
Ingestion	Not relevant to this product.
Other	No additional information.
Symptoms	No critical hazards to health.
Notes to the physician	No additional information.

5. FIRE-FIGHTING MEASURES			
Suitable extinguishing media	Use appropriate extinguisher for surrounding fire.		
Specific hazards arising from the chemical	No hazard listed.		
Special protective equipment	Firefighters must wear self contained breathing apparatus with full face mask.		
Special protective actions for firefighters	None reported.		

6. ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective equipment and emergency procedures	Make sure to wear personal protective equipment mentioned in this Safety Data Sheet.		
Environmental precautions	No hazard listed.		
Methods and materials for containment and cleaning up	Pick up mechanically and reuse as long as it is not contaminated.		

7. HANDLING AND STORAGE			
Precautions for safe handling	Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved.		
Conditions for safe storage, including any incompatibilities	Keep away from direct sunlight and heat.		
Storage temperature	15 to 25°C (59 to 77°F)		

Immediately Dangerous to Li	fe or	Carbon blac	k: 1750 mg/m3.			
Glass, oxide, chemicals	TWA (8	sh)	Inhalable Fraction	5 mg/m ³	1 f/cc	ACGIH
			Total Dust	10 mg/m ³		RSST
			Total Dust	15 mg/m³		OSHA
Carbon black	Ceiling			3.5 mg/m ³		OSHA
	TWA (8	sh)		3 mg/m ³		ACGIH, BC, ON
				3.5 mg/m ³		RSST

This document is the property of FRE Composites Inc. ("FRE Composites"). It shall not be used, reproduced, copied or transmitted to other persons without written authorization.





Individual protection mea	sures
Eye	Wear safety glasses with side shields.
Hands	Wear leather gloves, nitrile or neoprene gloves. Discard gloves with tears, pinholes, or signs of wear.
Skin	Personal protective equipment for the body should be selected based on the task being per-formed and the risks involved. Wear normal work clothing covering arms and legs as required by employer code.
Respiratory	Respiratory protection is not required for normal use. Wear a respirator where the conditions in the workplace require it. Moreover, respiratory protection equipment (RPE) must be selected, fitted, maintained and inspected in accordance with regulations and standard 29 CFR 1910.134 (OSHA), ANSI Z88.2 or CSA Z 94.11 (Canada) and approved by NIOSH/MSHA.
Feet	None





Safety glasses


Nitrile gloves

Physical state	Solid	Flammability	Non-flammable
Colour	Black	Flammability limits	N/Ap.
Odour	Odourless	Flash point	N/Ap.
Odour threshold	N/Av.	Auto-ignition temperature	N/Av.
рН	N/Ap.	Sensibility to electrostatic charges	No
Melting point	N/Av.	Sensibility to sparks and/or friction	No
Freezing point	N/Av.	Vapour density	N/Av. (Air = 1)
Boiling point	N/Av.	Relative density	1.93 kg/L (Water = 1)
Solubility	Insoluble in water.	Partition coefficient n-octanol/water	N/Av.
Evaporation rate	N/Av.	Decomposition temperature	N/Av.
Vapour pressure	N/Av.	Viscosity	N/Av.
Percent Volatile	N/Av.	Molecular mass	N/Ap.

10. STABILITY AND REACTIVITY			
Reactivity	No reaction expected.		
Chemical stability	Stable under recommended storage conditions.		
Possibility of hazardous reactions (including polymerizations)	Hazardous polymerization will not occur.		
Conditions to avoid	None reported.		
Incompatible materials	Not applicable.		
Hazardous decomposition products	No decomposition product.		

This document is the property of FRE Composites Inc. ("FRE Composites"). It shall not be used, reproduced, copied or transmitted to other persons without written authorization.






Numerical measures of	Glass, oxide, chemicals	Ingestion	>2000 mg/kg	Rat	LD50	
toxicity	Glass, Oxide, Chemicals	Skin	>2000 mg/kg >2000 mg/kg	nai Rabbit	LD50 LD50	
,	Carbon black	Ingestion	>15400 mg/kg	Rat	LD50	
	Carbon black	Skin	>3000 mg/kg	Rabbit	LD50	
Likely routes of exposure	Skin, eyes, inhalation, inge	estion.				
Delayed, immediate and	Eye contact		irritating (OECD TG 405). The friction	can cause mechanical eyes irritation.	
chronic effects	Skin contact		irritating (OECD TG 404). The mechar	nical friction can cause skin irritation.	
	Inhalation		significant effects or cri	tical hazards t	o health.	
	Ingestion		a likely route of exposu	re.		
	Respiratory or skin sensitization		Ingredients present at levels greater than or equal to 0.1% of this product are not skin or respiratory sensitizers.			
	IARC/NTP Classification Carcinogenicity		•	-	P cinogenic; 2B- Possibly carcinogenic. easonably anticipated to be carcinogens.	
			The product contains ingredients which are carcinogenic by inhalation of dust. However, the physical state of this product is not expected to produce dust. So there is no risk of cancer during normal use.			
	Mutagenicity		Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects.			
	Reproductive toxicity		Ingredients in this product present at levels greater than or equal to 0 known to cause reproduction effects.			
	Specific target organ toxic single exposure	oity - No	target organ is listed.			
	Specific target organ toxic repeated exposure	No No	No target organ is listed.			
Interactive effects	No information available for	or this product				
Other information		E) by inhalatio	on (dust/mist) of the mix	ture was calcı	d to be greater than 2000 mg/kg. The ulated to be greater than 5 mg/L/4h. These	

12. ECOLOGICAL INFORMATION					
Ecological toxicity	Fish various LC50 > 100 mg/l; 96h				
Persistence	Contains an or many ingredients that may be persistent in the environment.				
Degradability	No information available for this product.				
Bioaccumulative potential	No bioaccumulation.				
Mobility in soil	The product is a mixture whose ingredients have moderate to low mobility in the soil.				
Other adverse effects	This chemical does not deplete the ozone layer.				

This document is the property of FRE Composites Inc. ("FRE Composites"). It shall not be used, reproduced, copied or transmitted to other persons without written authorization.





13. DISPOSAL CONSIDERATIONS



IMPORTANT!

Prevent waste generation. Use in full. Residue can be reprocessed (recycled) where there is a recovery program. Observe all federal, state/provincial and municipal regulations. If necessary consult the Department of Environment or the relevant authorities.

14. TRANSPORT INFORMATION						
UN Number	UN N/A					
UN Proper Shipping Name	Not regulated by TDG (Canada) and 49 CFR DOT (USA).					
Environmental hazards	This material does not contain marine pollutant.					
Special precautions for user	No information available.					
TDG - Transportation of Dangerous Goods (Canada)						
Transport hazard class(es)	Not regulated					
Packing group	Not regulated					
Emergency response guidebook 2016						
IMO/IMDG - International Maritime Transport						
Classification	Not regulated					
IATA - International Air Transport Association						
Classification	Not regulated					
These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including						

15. REGULATORY INFORMATION

CANADA

Common name	CAS	CEPA	DSL	NDSL	NPRI
Glass, oxide, chemicals	65997-17-3		~		
Polymerized resin	Polymer Resin		~		
Carbon black	1333-86-4		V		

proper transportation classification and packaging. In addition, if a domestic exemption exists, it is the responsibility of the shipper to define the application of it.

- CEPA: List of Toxic Substances Managed Under Canadian Environmental Protection Act
- DSL: Domestic Substances List Inventory
- NDSL: Non-Domestic Substances List Inventory
- NPRI: National Pollutant Release Inventory Substances

UNITED STATES OF AMERICA

Common name	CAS	TSCA	CER CLA	EPCRA 313	EPCRA 302/304	CAA 112(b) HON	CAA 112(b) HAP	CAA 112(r)	CWA 311	CWA Prio.
Glass, oxide, chemicals	65997-17-3	~								
Polymerized resin	Polymer Resin	~								
Carbon black	1333-86-4	~								

This document is the property of FRE Composites Inc. ("FRE Composites"). It shall not be used, reproduced, copied or transmitted to other persons without written authorization.

F1RST IN THE FIELD



- TSCA: Toxic Substance Control Act
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act list of hazardous substances
- EPCRA 313: Emergency Planning and Community Right-to-Know Act, Section 313 Toxic Chemicals
- EPCRA 302/304: Emergency Planning and Community Right-to-Know Act, Section 302/304 Extremely Hazardous Substances
- CAA 112(b) HON: Clean Air Act Hazardous Organic National Emission Standard for Hazardous Air Pollutant
- CAA 112(b) HAP: Clean Air Act Hazardous Air Pollutants lists pollutants
- CAA 112(r): Clean Air Act Regulated Chemicals for Accidental Release Prevention
- CWA 311: Clean Water Act List of Hazardous Substances
- CWA Priority: Clean Water Act Priority Pollutant list

CALIFORNIA PROPOSITION 65

Common name	CAS	Cancer	Reproductive and Developmental Toxicity		
Carbon black	1333-86-4	~			
Other regulations	causing agent (through inha	alation), under Califorr ct does not present su	rborne, unbound particles of respirable size) is listed as a cance nia Safe Drinking Water and Toxic Enforcement Act (California ch risk as the composition percentage is minimal and is d resin).		
	1	HMIS	NFPA		
	Health				
	Flamal	bility			
	Reactiv	vity			
	Protec	tive Equipment			

Date (YYYY-MM-DD)	FRE COM	MPOSITES INC. 2019-04-01					
Version	01						
Other information	REFERENCES: - Haz-Map, Information on Hazardous Chemicals and Occupational Diseases, http://hazmap.nlm.nih.gov/index.php - Service du répertoire toxicologique de la Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST), http://www.reptox.csst.qc.ca						
	whatsoever	American Conference of Governmental Industrial Hygienists American Industrial Hygiene Association Hazardous Materials Identification System National Fire Protection Association Occupational Safety and Health Administration (USA) National Institute for Occupational Safety and Health National Toxicology Program of our knowledge, the information contained herein is accurate. However for the accuracy or completeness of the information contained herein. Is that exist	ver, neither Prev Final determin	ation of suitability of any material is the sole responsibility of the user.			

This document is the property of FRE Composites Inc. ("FRE Composites"). It shall not be used, reproduced, copied or transmitted to other persons without written authorization.



